


Introduction

TL700 is designed as a childproofing fingerprint smart door lock with a built-in doorbell. Users do not need to worry if the kids have unlocked the door from inside the house and wandered outside. Because of the doorbell integration, users do not need to deploy an extra doorbell. What's more, thanks to the Class C cylinder design and mortise protection, even if this lock is damaged from the outside, your home is still safe.

TL700W supports Wi-Fi communication and is compatible with ZSmart APP. This Wi-Fi lock can unlock remotely, share a password, trace the unlocking record and manage users via smartphone. It is an ideal door lock management solution for apartments and private houses.

Scenarios



With the assurance knob feature, you never have to worry about your child wandering away from home



In presence of a doorbell function, users inside the house will immediately get notified when visitors press the doorbell



With the Class C cylinder protection, even the outdoor unit of the lock is damaged, your home is still safe



Remote Control Via ZSmart App

Features



Remote Unlocking With Mobile App

Unlock and manage the lock from anywhere



Audio Instructions

User-friendly audio prompts, support English and Chinese



Capacitive Fingerprint Sensor

Fast verification for dry and rough fingers



Smart Alerts

Receive real-time notifications of low battery, hijack and offline



Wi-Fi Communication

Ensure a fast and stable by Wi-Fi IEEE 802.11b/g/n (2.4GHz Wi-Fi)



Random Passcode

Add random digits to protect your passcode from prying eyes



Emergency Charging Port

Charging via the micro-USB port



Built-in Doorbell

Built-in electronic doorbell Need not deploy a physical doorbell

Mobile Application




ZSmart App















Specifications

Material	Aluminum Alloy and Tempered Glass
Capacity	IC S50 Card: 100 Fingerprint: 100 Password: 50
Communication	Wi-Fi IEEE 802.11 b/g/n20 (available for TL700W)
Power Supply	4 x AA alkaline batteries (Not included)
Emergency Interface	Micro USB 5V
Mortise Type	Chinese standard mortise (6068)
MCBF	>100,000
Door Thickness	45mm to 60mm (customizable)
Application	Duplexes, townhouses, apartments, condos, and other residential areas
Random Password	Supports
Doorbell	Supports
Childproof setting	Supports
Operating Temperature	-20°C to 60°C
Working Humidity	10% to 90% RH (Non-Condensing)
Dimensions	Outdoor unit: 370*75*24mm (L*W*H) Indoor unit: 370*75*24.8mm (L*W*H)

Dimensions (mm)

